

**Amendments to the Claims**

This listing of claims, if entered, will replace all prior versions and listings of claims in the above-identified application.

**Listing of Claims**

1. (Cancelled)
2. (Cancelled)
3. (Withdrawn) The method of Claim 1, further comprising:  
extracting product management information in a third form that is associated with  
a second source computerized product management system that is distinct  
from the first source computerized product management system;  
converting the product management information in the third form into product  
management information that is in the second intermediate form;  
converting the product management information in the second intermediate form  
into product management information in the target form; and  
using the product management information in the target form to perform at least  
one computer-implemented act from a set of computer-implemented acts  
comprising:  
creating a new product management record in the target computerized  
product management system; and  
updating an existing product management record in the target  
computerized product management system.
4. (Previously Presented) The method of Claim 24, wherein the hierarchy of data  
elements comprises a plurality of product elements which comprise other elements.

5. (Previously Presented) The method of Claim 4, wherein each of the plurality of product elements comprises one or more elements selected from a group comprising:

- a product identifier;
- a product base data element;
- a product sales data element
- a product configuration data element;
- a related product line element for defining a product line element;
- a product list of price type element for defining a plurality of product price type elements;
- a product list of related inventory location element for defining a plurality of product related inventory location elements for the product;
- a list of related product element for defining a plurality of related product elements;
- a product list of related business unit element for defining a product related business unit element; and
- a product custom data element.

6. (Previously Presented) The method of Claim 5, wherein the product base data element comprises one or more elements selected from a group comprising:

- a product category code element;
- a product description element;
- an product effective end date element for defining a product's effective validity end date;
- an product effective start date element for defining a product's effective validity start date;
- a global product identifier element;
- a global product classification code element;
- a global product serial identifier;
- a global product special handling code element;
- a product name element;
- a product number element;
- a product part number element;

a product status code element;  
a product type code element;  
a product unit of measure code element; and  
a product vendor part serial number element.

7. (Previously Presented) The method of Claim 5, wherein the product sales data element comprises one or more elements selected from a group comprising:

a product field replaceable flag;  
a product lead time element;  
a product maximum order quantity element;  
a product minimum order quantity element;  
a product revision number element;  
a product orderable flag;  
a sales product flag;  
a service product flag;  
a service instance flag; and  
a serialized product flag.

8. (Previously Presented) The method of Claim 5, wherein  
the product configuration data element comprises a product configuration flag and  
a product related class element that is specific to a product;  
the product line element comprises a product line identifier, a product line base  
data element and a product line custom data element, wherein the product  
line base data element comprises:  
a product line description element; and  
a product line name element;  
each of the plurality of product price type elements comprises a product price type  
code element;  
each of the plurality of product related inventory location elements for the product  
comprises a product inventory location identifier and a product inventory  
data element for the product, wherein the product inventory data element  
for the product comprises one or more elements selected from:

a product inventory location classification data element, wherein the product inventory location classification data element comprises one or more elements selected from:  
a product movement class code element; and  
a product value class code element; and

a product inventory location stocking data element, wherein the product inventory location stocking data element comprises one or more elements selected from:  
a product allocate below safety stock level flag;  
a product auto substitute flag;  
a product auto allocate flag;  
a product maximum inventory level element;  
a product minimum inventory level element; and  
a product safety stock level element;

each of the plurality of related product elements comprises one or more elements selected from:  
a related product identifier;  
a related product name element;  
a related product number element; and  
a related product type code element; and

the product related business unit element comprises a product organization identifier and a product business unit data element, wherein the product business unit data element comprises a product sales unit of measure code element.

9. (Cancelled)

10. (Cancelled)

11. (Withdrawn) The computer-readable medium of Claim 26, further comprising:  
extracting product management information in a third form that is associated with  
a second source computerized product management system that is distinct  
from the first source computerized product management system;  
converting the product management information in the third form into product  
management information that is in the second intermediate form;  
converting the product management information in the second intermediate form  
into product management information in the target form; and  
using the product management information in the target form to perform at least  
one computer-implemented act from a set of computer-implemented acts  
comprising:  
creating a new product management record in the target computerized  
product management system; and  
updating an existing product management record in the target  
computerized product management system.

12. (Previously Presented) The computer-readable medium of Claim 26, wherein the hierarchy of data elements comprises a plurality of product elements which comprise other elements.

13. (Previously Presented) The computer-readable medium of Claim 12, wherein each of the plurality of product elements comprises one or more elements selected from a group comprising:  
a product identifier;  
a product base data element;  
a product sales data element  
a product configuration data element;  
a related product line element for defining a product line element;  
a product list of price type element for defining a plurality of product price type elements;  
a product list of related inventory location element for defining a plurality of product related inventory location elements for the product;

a list of related product element for defining a plurality of related product elements;

a product list of related business unit element for defining a product related business unit element; and

a product custom data element.

14. (Previously Presented) The computer-readable medium of Claim 13, wherein the product base data element comprises one or more elements selected from a group comprising:

a product category code element;

a product description element;

an product effective end date element for defining a product's effective validity end date;

an product effective start date element for defining a product's effective validity start date;

a global product identifier element;

a global product classification code element;

a global product serial identifier;

a global product special handling code element;

a product name element;

a product number element;

a product part number element;

a product status code element;

a product type code element;

a product unit of measure code element; and

a product vendor part serial number element.

15. (Previously Presented) The computer-readable medium of Claim 13, wherein the product sales data element comprises one or more elements selected from a group comprising:

- a product field replaceable flag;
- a product lead time element;
- a product maximum order quantity element;
- a product minimum order quantity element;
- a product revision number element;
- a product orderable flag;
- a sales product flag;
- a service product flag;
- a service instance flag; and
- a serialized product flag.

16. (Previously Presented) The computer-readable medium of Claim 13, wherein the product configuration data element comprises a product configuration flag and a product related class element that is specific to a product;

the product line element comprises a product line identifier, a product line base data element and a product line custom data element, wherein the product line base data element comprises:  
a product line description element; and  
a product line name element;

each of the plurality of product price type elements comprises a product price type code element;

each of the plurality of product related inventory location elements for the product comprises a product inventory location identifier and a product inventory data element for the product, wherein the product inventory data element for the product comprises one or more elements selected from:

a product inventory location classification data element, wherein the product inventory location classification data element comprises one or more elements selected from:  
a product movement class code element; and

a product value class code element; and  
a product inventory location stocking data element, wherein the product inventory location stocking data element comprises one or more elements selected from:  
a product allocate below safety stock level flag;  
a product auto substitute flag;  
a product auto allocate flag;  
a product maximum inventory level element;  
a product minimum inventory level element; and  
a product safety stock level element;  
each of the plurality of related product elements comprises one or more elements selected from:  
a related product identifier;  
a related product name element;  
a related product number element; and  
a related product type code element; and  
the product related business unit element comprises a product organization identifier and a product business unit data element, wherein the product business unit data element comprises a product sales unit of measure code element.

17. (Withdrawn) A data structure for managing product, the data structure comprising a list of product element for defining a hierarchy of data elements, wherein the hierarchy of data elements includes a plurality of product elements which include other elements.

18. (Withdrawn) The data structure of Claim 17, wherein each of the plurality of product elements includes one or more elements selected from a group comprising:  
a product identifier;  
a product base data element;  
a product sales data element  
a product configuration data element;  
a related product line element for defining a product line element;

- a product list of price type element for defining a plurality of product price type elements;
  - a product list of related inventory location element for defining a plurality of product related inventory location elements for the product;
  - a list of related product element for defining a plurality of related product elements;
  - a product list of related business unit element for defining a product related business unit element; and
  - a product custom data element.
19. (Withdrawn) The data structure of Claim 18, wherein the product base data element includes one or more elements selected from a group comprising:
- a product category code element;
  - a product description element;
  - a product effective end date element for defining a product's effective validity end date;
  - a product effective start date element for defining a product's effective validity start date;
  - a global product identifier element;
  - a global product classification code element;
  - a global product serial identifier;
  - a global product special handling code element;
  - a product name element;
  - a product number element;
  - a product part number element;
  - a product status code element;
  - a product type code element;
  - a product unit of measure code element; and
  - a product vendor part serial number element.

20. (Withdrawn) The data structure of Claim 18, wherein the product sales data element includes one or more elements selected from a group comprising:
- a product field replaceable flag;
  - a product lead time element;
  - a product maximum order quantity element;
  - a product minimum order quantity element;
  - a product revision number element;
  - a product orderable flag;
  - a sales product flag;
  - a service product flag;
  - a service instance flag; and
  - a serialized product flag.
21. (Withdrawn) The data structure of Claim 18, wherein
- the product configuration data element includes a product configuration flag and a product related class element that is specific to a product;
- the product line element includes a product line identifier, a product line base data element and a product line custom data element, wherein the product line base data element includes:
- a product line description element; and
  - a product line name element;
- each of the plurality of product price type elements includes a product price type code element;
- each of the plurality of product related inventory location elements for the product includes a product inventory location identifier and a product inventory data element for the product, wherein the product inventory data element for the product includes one or more elements selected from:
- a product inventory location classification data element, wherein the product inventory location classification data element includes one or more elements selected from:
    - a product movement class code element; and
    - a product value class code element; and

a product inventory location stocking data element, wherein the product inventory location stocking data element includes one or more elements selected from:

a product allocate below safety stock level flag;

a product auto substitute flag;

a product auto allocate flag;

a product maximum inventory level element;

a product minimum inventory level element; and

a product safety stock level element;

each of the plurality of related product elements includes one or more elements selected from:

a related product identifier;

a related product name element;

a related product number element; and

a related product type code element; and

the product related business unit element includes a product organization identifier and a product business unit data element, wherein the product business unit data element includes a product sales unit of measure code element.

22-23. (Cancelled)

24. (Currently Amended) A method in a computing system, the method comprising:

managing a product, comprising

extracting product management information in a first form, wherein  
the product management information comprises information  
regarding the managing of the product, and  
the first form is associated with a first source computerized product  
management system;

converting the product management information in the first form, wherein  
the converting the product management information in the first  
form converts the product management information in the  
first form into product management information that is in a  
second intermediate form; and

converting the product management information in the second  
intermediate form, wherein  
the converting the product management information in the second  
intermediate form converts the product management  
information in the second intermediate form into product  
management information in a target form,

the product management information in a target form corresponds  
to a target computerized product management system, and  
the second intermediate form comprises a list of product elements  
for defining a hierarchy of data elements;

in response to the converting the product management information  
into a target form, performing an update of an existing product  
management record in the target computerized product  
management system using the product management information in  
the target form, wherein

the existing product management record resided in the target  
computerized product management system prior to  
converting the product management information.

25. (Cancelled)

26. **(Currently Amended)** A computer-readable medium carrying one or more sequences of instructions, wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform:

managing a product, comprising

extracting product management information in a first form, wherein

the product management information comprises information

regarding the managing of the product, and

the first form is associated with a first source computerized product management system;

converting the product management information in the first form, wherein  
the converting the product management information in the first

form converts the product management information in the first form into product management information that is in a second intermediate form; and

converting the product management information in the second  
intermediate form, wherein

the converting the product management information in the second  
intermediate form converts the product management  
information in the second intermediate form into product  
management information in a target form,

the product management information in [[a]] the target form  
corresponds to a target computerized product management  
system, and

the second intermediate form comprises a list of product elements  
for defining a hierarchy of data elements;

in response to the converting the product management

information into a target form, performing an update of  
an existing product management record in the target  
computerized product management system using the  
product management information in the target form,

wherein

the existing product management record resided in the target computerized product management system prior to converting the product management information.

27. (Cancelled)
28. (Currently Amended) A method in a computing system, the method comprising:
  - managing a product, comprising
    - extracting product management information in a first form, wherein the product management information comprises information regarding the managing of the product, and
    - the first form is associated with a first source computerized product management system;
  - converting the product management information in the first form, wherein the converting the product management information in the first form converts the product management information in the first form into product management information that is in a second intermediate form; **and**
    - converting the product management information in the second intermediate form, wherein the converting the product management information in the second intermediate form converts the product management information in the second intermediate form into product management information in a first target form and product management information in a second target form, wherein the first target form is distinct from the second target form,
      - the product management information in the first target form corresponds to a first target computerized product management system,
      - the product management information in the second target form corresponds to a second target computerized product management system, and

the second intermediate form comprises a list of product elements  
for defining a hierarchy of data elements;

in response to the converting the product management  
information into a target form, performing an update of  
an existing product management record in the target  
computerized product management system using the  
product management information in the target form,  
wherein  
the existing product management record resided in the  
target computerized product management  
system prior to converting the product  
management information.